UNCLASSIFIED	ISE ONLY ROUTING	AND RECOR	D SHEET	
. 1			CON	FIDENTIA
SUBJECT: (Optional)			0014	
PROM			NO.	
FROM: TOD/CADD Door	D/GARB, Room 25, Central Bldg.		G-7149	
19n/avvd' von	ii ZJ, GGiiu	ai viug.	8 Decembe	r 1960
TO: (Officer designation, room number,	and DATE	OFFICER'S	COMMENTS (Number each comment to show fro to whom. Draw a line across column after each of	
building)		DRWARDED INITIALS	to whom. Draw a line acre	es column and each ea
1.		14 19 60		
AC/TSD/AUTH	10 10 E.	· /		
2			·	
			:	
3.	12,5	1		
Chief, TSD	10113	(,,		
4.	,   '	12/ /2/		-1
AC/FSD/R+I		115 84	hes app	6/732
5. / _ 1 -	12/5/1	۱ (ر	ha and	word the
C/TSD/E	B 153	<i></i>	nes app	
6. / Wes	AND E			4
AI	A CO		_	
7.				
8.			tile:	
			-	James de James de
9.			lin-Fe	of Jacobs
10.				
11.				
110				
12.				
				,
13.				
14.				
·				
15.				
CON	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	1 1		



G-7149 8 December 1960

MEMORANDUM FOR: Chief, TSD  SUBJECT: Incinerator for	25 <b>X</b> 1
1. It is understood that the TSD Engineering Branch is having ten improved models of the TSD developed security incinerator built for the Office of Security for test and evaluation at overseas posts.	
2. At the present time, is obliged to utilize	25X1
an exterior incinerator located at	25X1
tation of classified materials to the incinerator and the continued  presence of employee at the location until the material has been reduced to secure ash. Since the sale of the major	25 <b>X</b> 1
portion of the base, with the requirement of a public road between and the remainder of the base to allow access to the portion of the base now in civilian hands, there will, in addition, be the necessity of transporting bags of classified materials across this public thoroughfare.	25 <b>X</b> 1
3. The security of the present arrangement has always	
left much to be desired, and with the completion of the above- mentioned public road in front of the buildings, the situ-	25 <b>X</b> 1
type now installed in the TSD Security Office for evaluation would solve a major part of the classified trash disposal problem, and the installation of one of these at is recommended by the TSD Security Officer. The 'improved' model is most desirable since it will have a reinforced air flow into the flame. Engineering Branch indicates that they could as easily order eleven of these incinerators for evaluation as the ten presently planned, and that, in addition, it would reduce the individual cost of the units to TSD.	25X1 25X1

COLO COMO OSO E 1 56 1405 3 1405 3 1405 4 14

COSTED TOUTINE

Declassified in Part - Sanitized Copy Approved for Release 2012/05/31 : CIA-RDP78-03642A001700010035-4



G-7149 Page 2

25X1

25X1

4. It is requested to contract for the construction (220, 3 phase) and that it be re-		rator unit
lation at		
	C/TSD/GARB	

Distribution:

- 2 Addressee
- 1 TSD/EB
- 1 TSD/Security

